



**NOTES**

**GENERAL**

- FIELD DIMENSIONS IN DISCREPANCY WITH THESE DRAWINGS ARE TO BE BROUGHT TO ATTENTION OF SENBA USA BEFORE PROCEEDING.
- DO NOT SCALE PLANS. VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION.

**PARTITION TYPES**

- STEEL STUD SPEC PER IBCO #4389P.
- ALL GALVANIZED STUDS ARE TO CONFORM WITH TO THE MINIMUM REQUIREMENTS OF 1996 A.I.S.I. STANDARDS.
- PROVIDE ALL ACCESSORIES INCLUDING, BUT NOT LIMITED TO, TRACKS, CLIPS, WEB STIFFENERS, ANCHORS, FASTENING DEVICES, RESILIENT CLIPS, AND OTHER ACCESSORIES REQUIRED FOR A COMPLETE AND PROPER INSTALLATION.
- FASTENING OF COMPONENTS SHALL BE WITH SELF DRILLING SCREWS OF SUFFICIENT SIZE TO TO INSURE STRENGTH IN THE CONNECTION.
- JACK STUDS OR CRIPPLES SHALL BE INSTALLED BELOW WINDOW SILLS ABOVE WINDOW AND DOORS HEADERS AND ELSEWHERE TO FURNISH SUPPORT.
- LATERAL BRACING SHALL BE PROVIDED BY USE OF GYPSUM OR BY HORIZONTAL STRAPS OR COLD-ROLLED CHANNELS. BRACING SHALL CONFORM WITH SECTION D3 OF A.I.S.I. SPECIFICATION.

TYPE1- PRODUCTION ROOM PARTITIONS.  
 6" X 1 1/4" MTL STUD - 16GA @ 24" O.C., 5/8" GYP BD W/ Rammet® Pins, per Detail A

**WALL FRAMING DETAILS**

SAMPLE  
 Structural Plan  
 Hayward, CA

Scale: 3/8"=1' by: M McCarron  
 Date: 3/31/01

E - STRUC

**millennium**  
 Structural Engineers  
 20151 THE VINEYARD DRIVE  
 SAN FRANCISCO, CA 94134  
 415.774.8888  
 www.millenniumse.com

4/23/01  
 Issued for Construction Bid  
 REV: A